

**PRODUCT FICHE**

**Comply With Energy Label Directive EU 2010/30/ EU - Regulation No 65/2014 Of Ovens According To  
EN 60350-1 Or EN 15181**

**Comply With EU Directive 2009/125/EC - Regulation No 66/2014 According To  
EN 60350-1 Or EN 15181**

|   |                    |             |                           |
|---|--------------------|-------------|---------------------------|
| Brand   | <b>CREDA</b>       |             |                           |
| Model   | <b>C100RCDFTA</b>  |             |                           |
| Type of oven  | Free Standing      | <b>X</b>    |                           |
|   | Built-in           | -           |                           |
| Mass of the appliance (M) (net weight) kg   | -                  |             |                           |
| Number of cavities  | <b>1</b>           |             |                           |
| Heat source per cavity  | Electrical         | <b>X</b>    |                           |
|   | Gas                | -           |                           |
| Volume per cavity (l)   | <b>64</b>          |             |                           |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) | EC electric cavity | -           | kWh/cycle                 |
| Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy)                 | EC electric cavity | <b>0,78</b> | kWh/cycle                 |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy)                          | EC gas cavity      | -<br>-      | MJ/cycle<br>kWh/cycle (1) |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy)                            | EC gas cavity      | -<br>-      | MJ/cycle<br>kWh/cycle (1) |
| Energy efficiency index per cavity  | EEl cavity         | <b>95,1</b> |                           |
| Energy efficiency class   | <b>A</b>           |             |                           |

(1) 1 kWh/cycle = 3,6 MJ/cycle.

**PRODUCT FICHE**

**Comply With Energy Label Directive EU 2010/30/ EU - Regulation No 65/2014 Of Ovens According To  
EN 60350-1 Or EN 15181**

**Comply With EU Directive 2009/125/EC - Regulation No 66/2014 According To  
EN 60350-1 Or EN 15181**

|   |                    |             |                           |
|---|--------------------|-------------|---------------------------|
| Brand   | <b>CREDA</b>       |             |                           |
| Model   | <b>C100RCDFTA</b>  |             |                           |
| Type of oven  | Free Standing      | <b>X</b>    |                           |
|   | Built-in           | -           |                           |
| Mass of the appliance (M) (net weight) kg   | -                  |             |                           |
| Number of cavities  | <b>2</b>           |             |                           |
| Heat source per cavity  | Electrical         | <b>X</b>    |                           |
|   | Gas                | -           |                           |
| Volume per cavity (l)   | <b>51</b>          |             |                           |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) | EC electric cavity | -           | kWh/cycle                 |
| Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy)                 | EC electric cavity | <b>0,72</b> | kWh/cycle                 |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy)                          | EC gas cavity      | -<br>-      | MJ/cycle<br>kWh/cycle (1) |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy)                            | EC gas cavity      | -<br>-      | MJ/cycle<br>kWh/cycle (1) |
| Energy efficiency index per cavity  | EEl cavity         | <b>94,7</b> |                           |
| Energy efficiency class   | <b>A</b>           |             |                           |

(1) 1 kWh/cycle = 3,6 MJ/cycle.

**PRODUCT FICHE****Information For Domestic Gas-Fired Hobs****Comply With EU Directive 2009/125/ EC - Regulation No 66/2014 according to EN 30-2-1**

|  |                         |             |
|--|-------------------------|-------------|
| Brand  | <b>CREDA</b>            |             |
| Model  | <b>C100RCDFTA</b>       |             |
| Type of hob                                    | <b>Gas</b>              |             |
| Number of gas burners                          |                         | <b>7</b>    |
| Energy efficiency per gas burner EE gas burner | Front left zone         | <b>55,5</b> |
|  | Rear left zone          | <b>-</b>    |
|  | Front right zone        | <b>-</b>    |
|  | Rear right zone         | <b>55,5</b> |
|  | Front right center zone | <b>56,0</b> |
|  | Rear right center zone  | <b>56,0</b> |
|  | Left center zone        | <b>55,1</b> |
| Energy efficiency for the gas hob EE gas hob   |                         | <b>55,6</b> |