PRODUCT FICHE

Comply With Energy Label Directive EU 2010/30/ EU - Regulation No 65/2014 Of Ovens According To EN 60350-1 Or EN 15181

Comply With EU Directive 2009/125/EC - Regulation No 66/2014 According To EN 60350-1 Or EN 15181

EN 60350-1 Or EN 15181					
Brand	CREDA				
Model	C60DFDOA				
Tune of even		Free Standing	х		
Type of oven		Built-in	-		
Mass of the appliance (M) (net weight) kg			-		
Number of cavities		1			
Heat source per cavity		Electrical	Х		
		Gas	-		
olume per cavity (I)		64			
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy)	EC electric cavity		kWh/cycle		
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy)	EC electric cavity	0,78	kWh/cycle		
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy)	EC gas cavity	-	MJ/cycle kWh/cycle (¹)		
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy)	EC gas cavity	-	MJ/cycle kWh/cycle (¹)		
Energy efficiency index per cavity	EEI 95,1				
Energy efficiency class	А				
(¹) 1 kWh/cycle = 3,6 MJ/cycle.					

PRODUCT FICHE

Comply With Energy Label Directive EU 2010/30/ EU - Regulation No 65/2014 Of Ovens According To EN 60350-1 Or EN 15181

Comply With EU Directive 2009/125/EC - Regulation No 66/2014 According To EN 60350-1 Or EN 15181

EN 60350-1 Or EN 15181					
Brand	CREDA				
Model	C60DFDOA				
Turns of our		Free Standing	х		
Type of oven		Built-in	-		
Mass of the appliance (M) (net weight) kg			-		
Number of cavities		2			
Heat source per cavity		Electrical	х		
		Gas	-		
Volume per cavity (I)		30			
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy)	EC electric cavity	0,82	kWh/cycle		
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy)	EC electric cavity	-	kWh/cycle		
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy)	EC gas cavity		MJ/cycle kWh/cycle (¹)		
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy)	EC gas cavity	-	MJ/cycle kWh/cycle (¹)		
Energy efficiency index per cavity	EEI 120,6				
Energy efficiency class	В				
(¹) 1 kWh/cycle = 3,6 MJ/cycle.					

PRODUCT FICHE				
Information For Domestic Gas-Fired Hobs				
Comply With EU Directive 2009/125/ EC - Regulation No 66/2014 according to EN 30-2-1				
Brand	CREDA			
Model	C60DFDOA			
Type of hob	Gas			
Number of gas burners		4		
Energy efficiency per gas burner EE gas burner	Front left zone	-		
	Rear left zone	56,0		
	Front right zone	55,1		
	Rear right zone	56,0		
	Front center zone	-		
	Rear center zone	-		

55,7

Energy efficiency for the gas hob EE gas hob